Appl. No.: 10/607,907 Amdt. dated April 8, 2009

Reply to Office Action of March 5, 2009

Amendments to the Claims:

1. (Currently Amended) An apparatus comprising one or more memory storage areas, connected to one or more processors, the one or more processors configured for:

mapping one or morea <u>plurality of</u> fields of contact data from personal information manager (PIM) software to one or morea <u>plurality of</u> corresponding fields of a web page of a web application to produce mapping data;

causing display of the web page of the web application, wherein the causing display includes causing display of a prompt requesting input of data into for the one or more plurality of corresponding fields of the web page of the web application;

receiving input entering one or more alphanumeric characters into a field of a web page of the application;

searching the contact data using interface software for more than one set of contact data matching the entered alphanumeric characters using the mapping data;

causing display of more than one set of contact data that match the entered alphanumeric characters:

receiving input selecting one of the displayed sets of contact data to be mapped to the fields of the web page;

mapping data from one or more fields of the selected set of contact data to the one or more corresponding fields of the web page of the web application to automatically populate the web page by using the mapping data; and

transmitting the web page containing the mapped data as output data to a web server executing the web application via a communication network.

2-3. (Canceled)

4. (Previously Presented) An apparatus as claimed in claim 1 wherein the mapping data maps the field of contact data to the corresponding field of the web application via a browser extension embedded in the web page of the application. Appl. No.: 10/607,907

Amdt. dated April 8, 2009

Reply to Office Action of March 5, 2009

5-8. (Canceled)

9. (Previously Presented) An apparatus as claimed in claim 1 wherein the one or more

processors are further configured for outputting the mapped contact data generated by

automatically populating the contact data to the application, to an output device.

10. (Previously Presented) An apparatus as claimed in claim 9 wherein the output device

generates a printed document based on the mapped contact data.

11. (Previously Presented) An apparatus as claimed in claim 1 wherein the

communication network is the Internet.

12. (Previously Presented) An apparatus as claimed in claim 1 wherein the contact data

comprises a person's name.

13. (Previously Presented) An apparatus as claimed in claim 1 wherein the contact data

comprises a company name.

14. (Previously Presented) An apparatus as claimed in claim 1 wherein the contact data

comprises an address.

15. (Previously Presented) An apparatus as claimed in claim 1 wherein the contact data

comprises a telephone number.

16. (Previously Presented) An apparatus as claimed in claim 1 wherein the contact data

comprises a mobile number.

17. (Previously Presented) An apparatus as claimed in claim 1 wherein the contact data

Appl. No.: 10/607,907 Amdt. dated April 8, 2009

Reply to Office Action of March 5, 2009

comprises a facsimile number.

18. (Previously Presented) An apparatus as claimed in claim 1 wherein the contact data comprises an email address.

19. - 120. (Canceled)

121. (Currently Amended) A computer program product comprising at least one computer-readable storage medium having computer-readable program code portions stored therein, the computer-readable program code portions comprising:

an executable portion configured to map one or morea plurality of fields of contact data from personal information manager (PIM) software to one or morea plurality of corresponding fields of a web page of a web application to produce mapping data;

an executable portion configured to cause display of the web page of the web application, wherein the causing display includes causing display of a prompt requesting input of data into the plurality offer the one or more corresponding fields of the web page of the web application;

an executable portion configured to receive input entering one or more alphanumeric characters into a field of a web page of the application;

an executable portion configured to search the contact data using interface software for more than one set of contact data matching the entered alphanumeric characters using the mapping data;

an executable portion configured to cause display of more than one set of contact data that match the entered alphanumeric characters;

an executable portion configured to receive input selecting one of the displayed sets of contact data to be mapped to the fields of the web page;

an executable portion configured to map data from one or more fields of the selected set of contact data to the one or more corresponding fields of the web page of the web application to automatically populate the web page by using the mapping data; and

an executable portion configured to transmit the web page containing the mapped data as

Appl. No.: 10/607,907 Amdt. dated April 8, 2009

Reply to Office Action of March 5, 2009

output data to a web server executing the web application via a communication network.

122. (Previously Presented) The computer program product of claim 121 wherein the mapping data maps the field of contact data to the corresponding field of the web application via a browser extension embedded in the web page of the application.

- 123. (Previously Presented) The computer program product of claim 121 further comprising an executable portion configured to output the mapped contact data generated by automatically populating the contact data to the application, to an output device.
- 124. (New) The apparatus of claim 1, wherein mapping the plurality of fields of contact data is performed by the one or more processors in response to receipt of a prompt provided to a display.
- 125. (New) The computer program product of claim 121, wherein executable portion configured to map the plurality of fields of contact data occurs in response to receipt of a prompt provided to a display.